

**EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with James B. Myers on April 24, 2008.

**In the Claims**

**Claim 1**, line 12: add --or-- after "C<sub>1</sub>-C<sub>6</sub>alkoxy".

**Claim 1**, line 31: add --or-- before

"(C<sub>1</sub>-C<sub>6</sub> alkyl)C<sub>3</sub>-C<sub>8</sub> cycloalkyl".

**Claim 3**, line 3: delete "or solvate".

**Claim 5**, last line of claim: delete "or solvate".

**Claim 6**, line 3: delete "or solvate".



**Claim 7**, line 3: add --or-- before

**Claim 8**, line 4: add --or-- before "C<sub>2</sub>-C<sub>6</sub>alkenyl".

**Claim 9**, line 2: delete "or solvate".

#### ***Terminal Disclaimer***

The terminal disclaimer filed on April 9, 2008 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of any patent which may issue from copending application 10/393,305 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Laura L. Stockton whose telephone number is (571) 272-0710. The examiner can normally be reached on Monday-Friday from 6:15 am to 2:45 pm. If the examiner is out of the Office, the examiner's supervisor, Joseph McKane, can be reached on (571) 272-0699.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

The Official fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

/Laura L. Stockton/  
Laura L. Stockton, Ph.D.  
Primary Examiner, Art Unit 1626  
Group 1620  
Technology Center 1600

April 30, 2008